


ECOBIO HOLDINGS CO.,LTD. 2018 IR



REF. IR181001

Disclaimer

This material was produced by Ecobio Holdings Co., Ltd. (hereinafter referred to as "Company"), for the purpose of providing information such as the Company's sales forecasts, business management goals and business strategy and, may not be reproduced, disclosed, distributed or used without the permission of an authorized representative of the Company. The predictive information in this material is information which have not been confirmed through individual verification processes. This information is related to the future, not the past, refers to the expected state of business management and financial performance of the Company in the future and may include words like 'predicted', 'expected', 'planned' and 'anticipated'.
The predictive information is influenced by the changes of business environment in the future and fundamentally contains some degree of uncertainty. Due to this uncertainty, the actual business performance in the future may differ greatly from the predicted performance. Also, forecasts are made based on current state of market and the Company's current business strategy. Thus, the forecasts may be changed without notice according to the changes in the state of market and business strategies.
The Company and its executive officers are not liable for any damages caused by using this material. This material does not suggest investment of purchase of shares and no part of this material can be the basis or foundation for deciding on contracts, agreements and investment.



- 1 ECOBIO Trend
- 2 Business Scope
- 3 BioSulfa
- 4 Energy Business
- 5 R&D


Business Vision –Establishing an **Up-Cycling** business structure via the **Eco-Chain**



The Past is the Strength of Today
The Future starts Today.

To transform the existing
To create the nonexisting
Forge sustainability!

- ECOBIO HOLDINGS
CEO Hyo-Soon Song




The process of transforming by-products and waste materials into high quality, new materials to benefit both the consumers and the environment

1. ECOBIO Trend

To transform the existing
 To create the nonexisting
 Forge sustainability!

-EcoBio Holdings CEO Hyo-Soon Song



1. ECOBIO Trend

[Company Overview]


Company Name	EcoBio Holdings Co., Ltd. (KOSDAQ 038870)
CEO	Hyo-Soon Song
Founding Date	1989. 4. 1.
Capital	5.7 billion KRW (Approx. 5.36 million USD)
Market Value	118.5 billion KRW (Approx. 111.39 million USD) (as of closing price on Feb. 28 th 2018 : ₩10,400)
Employee	120 people
Business Scope	Biosulfur, Biofuel, Bioenergy, Environmental Technology Development
Company Location	Head office : Total Eco Bldg. 5, Seoun-ro 26-gil, Seocho-gu, Seoul Eco-energy Power Station : 58, Baekseok-dong, Seo-gu, Incheon Daejeon Business Center : 186, Bulmu-ro, Yuseong-gu, Daejeon

[CEO Introduction]



Name	Hyo-Soon Song
Academic	Ph.D. Keimyung University, Environmentology
1989	Founding of EcoBio Holdings Co., Ltd.
2005	Chairman of Bio-division of New & Renewable Energy Association
2013	Received Presidential Prize for Renewable Energy Award
2015	Present Auditor of New Renewable Energy Association
2016	Current EcoBio Holdings CEO

[Shareholders] (as of 2018. 02. 28.)



[Company History]



2016	EcoBio Holdings Co., Ltd.
2013	Presidential Award for Excellence
2012	Awarded the highest prize by for company specializing in the recycling of waste-energy resources - Minister of Environment
2008	Goldman Sachs U.K attracts \$28 million in foreign capital
2007	KOSDAQ Listed
2002	Joined Korea Renewable Energy Association
1989	Founding of EcoBio Holdings (previous TotalENS)

2. Business Scope

BIO Based (Sulfur/Electricity/Gas/Hydrogen), Enviro-Tech



- World's Largest LFG to Electricity Generator**
- LOCATION : 58, Baeksuk-dong, Seo-gu, Incheon
- DETAILS : Steam generated electricity through LFG
- TOTAL INVESTMENT : 1,000 million KRW
- SCALE : 50MW Steam Turbine (World's largest scale)



- Korea's First Bio-Gas to Vehicle Fuel Facility**
- LOCATION : Seonam, Magok-dong, Kangseo-gu, Seoul
- DETAILS : Use of Biogas (from digester) for use in vehicle fuel
- SCALE : 7,000Nm³/day(4,290Nm³ of vehicle fuel produced per day)



- (Sangam Hydrogen Station)**
- LOCATION : Seoul Nanji Landfill Site
- DETAILS : LFG to Hydrogen Fuel production
- SCALE : 1,080Nm³/d
- ROLE : Simplex 50




- Daejeon Boiler Fuel**
- LOCATION : Daejeon Geumgo-dong Landfill Site
- DETAILS : Boiler fuel supply (40m³/min)
- ROLE : Investor, Engineering, Construction and Operation, CER sales



- Gumi LFG-to-Energy**
- LOCATION : Mishigupo-dong Municipal waste Landfill Site
- DETAILS : Gas Engine(0.3MW)
- ROLE : Investor, Engineering, Construction and Energy sales, CER sales



- Daegu Boiler Fuel**
- LOCATION : Daegu Bangcheon-ri Landfill Site
- DETAILS : Supply regional heating fuel (130m³/min)
- ROLE : Engineering and Construction



- BioSulfa Inc.**
- LOCATION : 161, Samhwa-ri, Misan-myeon, Yeoncheon-gun
- DETAILS : Biosulfur product production



- Pyeongchang Bio-Gas plant**
- LOCATION : Pyeongchang-gun, Jinbu-myeon sewage treatment site
- DETAILS : Organic waste to energy
- SCALE : 7,200Nm³/d
- METHOD : Simplex 300



- Gangneung Bioenergy**
- LOCATION : Gangneung-shi, Byeongsan-dong sewage treatment site
- DETAILS : (digester) Gas to vehicle fuel
- SCALE : 1,200Nm³/d
- METHOD : Simplex 50



- Gangwon Bio-Gas Plant**
- LOCATION : 561-2, Gahyeon-dong, Wonju-shi
- DETAILS : Organic waste to vehicle fuel
- SCALE : 14,400Nm³/d
- METHOD : Simplex 600



- Changwon Bioenergy**
- LOCATION : Changwon-shi Dukdong Sewage Treatment Site
- DETAILS : (digester) Gas to vehicle fuel
- SCALE : 14,400Nm³/d
- METHOD : Simplex 600





- Busan Bioenergy**
- LOCATION : Busan-shi Donglae-gu Suyoung Plant
- DETAILS : (digester) Gas to vehicle fuel
- SCALE : 14,400Nm³/d
- METHOD : Simplex 600

2. Business Scope

LFG Utilization – **Biosulfur production** and **power generation** through continuous operations of LFG business

Operational Profit Model



Process Diagram

**Sudokwon Landfill Site
LFG to Electricity Generator**

**Sudokwon Landfill Site
Landfill Area**

OPERATIONS	LOCATION	FACILITY SCALE
ECOENERGY (100% SUBSIDIARY)	58, Baekseok-dong, Seo-gu, Incheon	2 Biosulfur production systems. 1 Steam turbine generator.

The process diagram shows 'Landfill gas' being collected from the landfill. It then goes through 'Gas purification Desulfurization equipment'. From there, it can be used to produce 'BioSulfa' (Fertilizer, pesticide, cosmetics), 'Biogas' (Natural gas), or 'Bioenergy Electricity'.

2. Business Scope

Energy Sales – Organic Waste-to-Energy Plants, Biogas Upgrading System(Simplex), Hydrogen Station



Wonju Organic Waste Biogas Plant



Biogas-to-Vehicle Fuel Project at Sewage Treatment Plant in Busan





Sangam LFG-to-Hydrogen Station

Location		561-2, Gahyeon-dong, Wonju	Suyeong Plant in Donglae-gu, Busan	Sangam-dong, Mapo-gu, Seoul
Purpose (Treatment volume)		Organic Waste-to-Car Fuel (14,400Nm ³ /day)	Sewage Treatment Gas-to-Car Fuel (14,400Nm ³ /day)	Hydrogen production and vehicle fueling station from treated landfillgas, and surplus gas fuel cell charging (1,080Nm ³ /day)
Operation		In operation	In operation	In operation
Role & Contribution of Ecobio Holdings	Equity Participation	18%	30%	-
	Construction (EPC)	⊙	⊙	⊙
	Operations (O&M)	⊙	-	⊙

3. BioSulfa

Producing BioSulfa® Using Microorganisms

※ Biosulfur production process within the Bioreactor



VS




Category	Biosulfur (suspended concentrate)	Petrochemical Sulfur (solid)
Definition	Biosulfur produced from microbial metabolism	Chemical sulfur derived from chemical reactions
pH	Slightly Alkaline (pH 8.5) suspension	Strong Alkaline (pH 12~14) powder
Sulfur Conc.	40% ± 3% (suspension)	100% solid powder
Density	1.35 g/cm ³	1.95 ~ 2.26 g/cm ³
Particle Size	1~10 µm particles (high fungicidal effect)	400~600µm (low fungicidal effect)
Hydrophilicity	Pharmacological cocktail effect (Hydrophilic-like, can be mixed with other substances)	Does not suspend well in water, may cause unwanted effects (Highly hydrophobic, can not be mixed with other substances)
Characteristics	Naturally suspended state, easily suspended in water	Not soluble in water, needs caustic soda and surfactant for suspension
	Alkalizes the soil when used as fertilizer	Acidifies the soil when used as fertilizer
	User in organic fertilizers, pesticides, cosmetics and pharmaceuticals	Used in chemical fertilizer
	Harmless to insects	Can cause metal corrosion, generates toxic gas and can reduce the lifespan of plastic materials

- Operates the World's Largest Biosulfur Production Facility
- Builds and Operates Biosulfur Production Facilities
- Operates the World's Largest Biosulfur R&D Center




Joint Project for Raw Bio Material / Product Sales, Production Facility


- World's No.1 Anaerobic Water & Gas Treatment Corporation
- Own the Technology for Producing Biosulfur by Using Thiobacillus Bacteria



Producing and Using  Establishes a New Sulfur Cycle



Agriculture BioSulfa (Fungicide) → Raw Material for Household Items → Ingredient for Cosmetics → Ingredient for Pharmaceuticals




Fungicidal Effect of BioSulfa

Why So Effective?

- 1) Optimal Particle Size: 1~10 μm
- 2) Particle Size Optimal for Sterilizing Mold Spores
- 3) Germs and viruses are smaller than BioSulfa particles

Prerequisite for Maximizing the Benefits of BioSulfa





1~10 μm



Fungicidal Effect of BioSulfa





- 1) reproduce through spores → can maintain spores even in the worst conditions
- 2) are bigger than other germs → Makes it difficult to prevent reproduction

- Existing Pesticides → increases pesticide resistance
- BioSulfa → Highly Effective → no fungicide resistance







Certified Institute Test of BioSulfa on Powdery Mildew and Mites(1/4)

Performed by the Korea Bio-Safety Institute / Cucumber 2016.04.08~05.08 (Ipjang), 2016.04.29~05.29 (Namseon)

Crop	Targets	Results	Treatment Images
Cucumber	<ul style="list-style-type: none"> Phytotoxicity Powdery Mildew (<i>Sphaerotheeca fusca</i>) 	<ul style="list-style-type: none"> Standard dilution(x1,000) and double dosage dilution(x500) were applied 3 times Foliar Spraying after breakout in every 10 days 85% efficacy on powdery mildew at Ipjang farm 83.6% efficacy on powdery mildew at Namseon farm Greenhouse conditions Test was carried out at 3 different region at same time during 30 days No phytotoxicity in standard dose and double dosage. 	<div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">  <p>< test photo 1 ></p> </div> <div style="width: 50%;">  <p>< Test photo 2 ></p> </div> <div style="width: 50%;">  <p>< test photo 3 ></p> </div> <div style="width: 50%;">  <p>< Phytotoxicity test result > (3, 5, 7 days after treatment)</p> </div> </div>





Certified Institute Test of BioSulfa on Powdery Mildew and Mites(2/4)

Performed by the Korea Bio-Safety Institute / 2018.06.12-2018.07.12 (Namseon, Saengguk)

Crop	Targets	Results	Treatment Images
<p>Oriental melon</p>	<ul style="list-style-type: none"> Phytotoxicity Powdery Mildew (<i>Sphaerotheaca fusca</i>) 	<ul style="list-style-type: none"> Standard dilution(x1,000) and double dosage dilution(x500) were applied 3 times Foliar Spraying after breakout in every 10 days 78.4% efficacy on powdery mildew at Namseon farm 82.7% efficacy on powdery mildew at Saengguk farm Greenhouse conditions Test was carried out at 3 different region at same time during 30 days No phytotoxicity in standard dose and double dosage. 	<div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">  <p>< test photo 1 ></p> </div> <div style="width: 50%;">  <p>< Test photo 2 ></p> </div> <div style="width: 50%;">  <p>< test photo 3 ></p> </div> <div style="width: 50%;">  <p>< Phytotoxicity test result > (3, 5, 7 days after treatment)</p> </div> </div>

Certified Institute Test of BioSulfa on Powdery Mildew and Mites(3/4)

Performed by the Korea Bio-Safety Institute / 2016.04.26~2016.05.10 (Gamgok)

Crop	Targets	Results	Treatment Images
<p>Strawberry</p>	<ul style="list-style-type: none"> • Phytotoxicity • Mite (<i>Tetranychus urticae</i>) 	<ul style="list-style-type: none"> • Standard dilution(x1,000) and double dosage dilution(x500) were applied • 1 time Foliar Spraying after breakout • 65.9% efficacy on strawberry mite at Gamgok farm • Test was carried out at 3 different region at same time during 14 days • No phytotoxicity in standard dose and double dosage 	<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; justify-content: space-around; width: 100%;"> <div style="text-align: center;">  <p>< test photo 1 ></p> </div> <div style="text-align: center;">  <p>< Test photo 2 ></p> </div> </div> <div style="display: flex; justify-content: center; margin-top: 20px;">  <p>< test photo 3 ></p> </div> <div style="display: flex; justify-content: center; margin-top: 20px;">  <p>< Phytotoxicity test result > (3, 5, 7 days after treatment)</p> </div> </div>

Certified Institute Test of BioSulfa on Powdery Mildew and Mites(4/4)

Performed by the Korea Bio-Safety Institute / 2018.06.12–2018.06.26 (Yecheon), 2018.06.20–2018.07.04 (Gangok)

Crop	Targets	Results	Treatment Images
<p>Apple</p>	<ul style="list-style-type: none"> Phytotoxicity Mite (<i>Panonychus ulmi</i>) 	<ul style="list-style-type: none"> Standard dilution(x1,000) and double dosage dilution(x500) were applied 1 time Foliar Spraying after breakout 57.8% efficacy on apple mite at Yecheon farm 62.1% efficacy on apple mite at Gangok farm Test was carried out at 3 different region at same time during 14 days No phytotoxicity in standard dose and double dosage. 	<div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">  <p>< test photo 1 ></p> </div> <div style="width: 50%;">  <p>< Test photo 2 ></p> </div> <div style="width: 50%;">  <p>< test photo 3 ></p> </div> <div style="width: 50%;"> <p>사과(홍로) 악매조사(악제처리 후 3, 5, 7일차)</p>  <p>< Phytotoxicity test result > (3, 5, 7 days after treatment)</p> </div> </div>

2018 CAC China – BioSulfa® product launching and development of business relations

BioSulfa®
products launched in 2018

Diseases and mite control



- Development of business relations in China, South America India, Europe, etc.
- Applications in combination with fertilizers, agrochemicals and plant extracts
- Identification of market value
- Differentiation of biosulfur from chemically produced sulfur
- Investigation of necessary product registration

Wonju BGP(Bio Gas Plant)– Organic Waste Anaerobic Digestion and Energy Production



Anaerobic Digester



Biomethane Production



Odor Control



Input and Pretreatment




Wastewater treatment



Recycling Center

4. Energy Business Wonju BGP



Biomethane Gas Distribution



Biogas production facility
(capacity : 600Nm³/h)



Fueling station
(capacity : 250Nm³/h)



Vehicle Refueling
(Approx. 100 cars/d)



Buffer Tank
(15m³, 4~5bar)




Sewage treatment
plant fuel supply
(Approx. 1,500 Nm³ /d)

- Biomethane production : 4,100Nm³/d
- Treatment method : Water Scrubbing fuel quality
- Fueling station : Automobile fuel quality standard
- Sewage treatment plant : CH₄ >95%
- Fuel quality test : Once per month


(Patent No. 10-1207532)

Simplex – Bio Gas Upgrading Plant (Water Scrubbing Process)



(Patent No. 10-1207532)


Simplex – Bio Gas Upgrading Plant (Water Scrubbing Process)



Sangam Hydrogen Station – Hydrogen production and use from methane in LFG




- **Name** : Sangam Hydrogen Station
- **Location** : Sangam-dong, Mapo-gu, Seoul
- **Capacity** : 30 Nm³/h (30 vehicles)
- **Fuel Cells** : 2 x 10 kW
- **Production Method** : LFG refining
- **Completed in** 2011.05.
- **Operator** : EcoBio Holdings Co., Ltd.



Hydrogen fuel source through the use of landfill gas

Securing proprietary technology through **continuous R&D** and national research projects



Expansion of R&D Capabilities – Construction of Magok R&D center, continued development of market leading technology –expansion of national research projects



Location	Magok Industrial Complex D10-1	
Area	1,196.7m ²	
Construction Area	716.9m ²	coverage ratio 59.9%
Total Floor Area	5,932.7m ²	floor area ratio 349.5%
Research Complex	2,139.5m ²	
Add. Facilities	1,734.2m ²	
Commercialization Facility	308.4m ²	
Parking space and underground area	1,750.6m ²	

Stage 1

- Bioenergy



Stage 2

- Biosulfur-containing organic agricultural material
- Biosulfur-containing pesticides



Stage 3

- Biosulfur-containing pet goods
- Biosulfur-containing bath good , cleansers, etc.



Stage 4

- Biosulfur-containing mask pack
- Biosulfur-containing skin care cream



National Research Foundation of Korea : New Project

1. Project Name : **Development of pre-treatment for POME biogas**
2. Research Institute : EcoBio Holdings Co., Ltd.
3. Head Institute : Korea Institute of Energy Research
4. Total Research Period : 2018. 3. 29. ~ 2021. 12. 31.(45 months)
5. Research Grant : 1.7 Million USD

Project Overview



Development of H₂S pretreatment system

NRF 연구사업통합지원시스템

Create, Research, Share

안녕하십니까?
2018년도 기후변화대응 기초원천기술개발과제 사업에 지원하신
과제가 최종 선정되었습니다.
아래에 과제정보를 확인하시기 바랍니다.

연구책임자	안효성
연구과제명	POME 바이오가스의 전처리 공정 개발
접수번호	2018026256

NRF # Global NRF, Go to Future! a
한국연구재단

수신자 한국에너지기술연구원
(경유)

제 목 기후변화대응기술개발사업 신규과제 선정평가 결과 알림

1. 귀 기관의 무궁한 발전을 기원합니다.
2. 기후변화대응기술개발사업 신규과제 선정평가 결과를 다음과 같이 알려드립니다.
가. 평가결과(※ 세부내용 : 별첨 참조)


분야	연구주제 번호	과 제 명	연구책임자 (주관연구기관)	평가결과	선정 연구비
바이오 에너지	에너지-환경-2018-1	폐유전사물 유래 바이오가스 에너지화 기술 개발	김종남 (한국에너지기술연구원)	선정	250백만원

나. 행정사항(※ 세부내용 : 별첨 참조)
○ 협약용 계획서 제출 : 2018.3.27(화) 까지
○ 평가결과 통보 후 7일간 평가결과에 대해 이의신청 가능
- 통보된 평가의견에 대해서만 이의신청을 받으며 평가위원 선정, 평가방법 및 절차 등에 관한 사항은 제외

붙임 기후변화대응기술개발사업 신규과제 선정평가 결과 알림 1부. 끝.

한국연구재단 이 사 장

담당	팀장	팀장	이공계	실장	이관근	본부장	박영철
사무총장	이광복	이사장	연구				



EcoBio Holdings

Total Eco Bldg. 5, Seoun-ro 26-gil,
Seocho-gu, Seoul, Republic of Korea
Phone : +82)2-3483-2900
Fax : +82)2-3483-2929



- 9 **Sinnonhyeon Station (Subway Line No. 9)**
 From Exit 7, head toward Banpo I.C direction about 300m until you get to Seocho 4-dong Community Service Center

Eco Energy Sudokwon Landfill

61, Geowol-ro, Seo-gu, Incheon
Phone : +82)32-560-9000 | Fax : +82)32-560-9028

Bio Methane Seoul Seonam Water Treatment Center

225, Yangcheon-ro, Gangseo-gu, Seoul
Phone : +82)2-2659-0636 | Fax : +82)2-2659-0610

IR Director
Young-Min Kim
 Managing Director, EcoBio Holdings Co., Ltd. HQ

Phone : +82)2-3483-2900 | E-mail : info@ecobio.co.kr



Thank You !!